

Declaration of conformity

(according to 89/106/EEC Directive, Annex III.2(ii), second possibility)

Alutech Door Systems LLC

Minsk area, Minsk region FEZ «Minsk» Selitskogo str., 10-508, 220075
Republic of Belarus

Hereby declares that

Sectional Garage Door trade mark ALUTECH type SRD-C

- Conform to the relevant conditions of the EC building products directive (Directive 89/106/EEC), furthermore in prescribed combinations with the door actuators of «NICE» and «MARANTEC» conform to the relevant conditions of the:
 - Low-voltage directive (Directive 2006/95/EC)
 - EC machinery directive (Directive 2006/42/EC)
 - EMC directive (Directive 2004/108/EC)

- The following harmonized standard was applied:
EN 13241-1:2003 Industrial, commercial and garage doors and gates – Product standard.

- This conformity is substantiated by the following:
 - Test report for initial type testing of product № ITT-09.49/08.03.2010 issued by Science research buildings institute – NISI Ltd.

- Satisfied following technical requirements:

| Characteristics | Value / Technical class / Conformance | |
|---|---|---------------------------|
| | with a wicket door | without a wicket door |
| Resistance to water penetration | Class 2 | |
| Resistance to wind load | Class 2 | Class 4 |
| Air permeability | Class 2 | Class 5 |
| Thermal transmittance | 1.07 W/(m ² K) | 0.61 W/(m ² K) |
| Thermal resistance | 0.93 (m ² K)/W | 1.64 (m ² K)/W |
| Anti-drop device | The door has two anti-drop device | |
| Unwanted uncontrolled movement: - closing - opening | Conforming Conforming | |
| Safe guarding against dropping | The door has two balancing springs. In case of failure to each of them there are two anti-drop device which prevent free dropping of the door leaf more than 300 mm | |
| Provisions against unwanted movement due to wind | Conforming | |
| Operating forces at closed position | Conforming | |
| Operating forces at middle position – when opening | Conforming | |
| Operating forces at middle position – when closing | Conforming | |
| Operating forces at opened position | Conforming | |

Minsk, 10/03/2010

The signatory is the Director of Alutech Door Systems LLC



Sergey Kogolenok